

DJI RONIN RS 2

Artikelnummer: DJI481010



6,796.00  
SEK ex moms

8,495.00  
SEK incl moms

Product experts:



Paul Petropoulos  
[paul@goecker.se](mailto:paul@goecker.se)  
0840 83 82 59  
Stockholm



Daniel Nilsson  
[daniel@goecker.se](mailto:daniel@goecker.se)  
0733 12 13 41  
Malmö

# Goecker for shooters

Beskrivning:

## ***DJI Ronin RS 2***

- Max payload: 4,5 kg / 10 lbs
- 2nd-Gen RS stabilization algorithm
- 1.4" full-color LCD touchscreen
- Runtime up to 12 hours

## ***Masterfully Crafted***

DJI RS 2 isn't just a gimbal - it is an unparalleled solution for dynamic cinematography. Every design element and feature is made to deliver industry-leading camera stabilization. Simply put, DJI RS 2 is crafted for you to master filmmaking.

## ***Film More, Pack Less***

Monocoque carbon fiber construction adds incredible strength and unbelievable lightness to the axis arms.

A 1kg gimbal with 4.5kg tested payload offers the highest weight-to-payload ratio in the industry.

## ***Full-Color Touchscreen***

Access ActiveTrack 3.0 right from the touchscreen, freeing your creative control. The full-color LCD screen allows you to quickly adjust parameters and access Ronin app features.

## ***Titan: DJI Stabilization Evolved***

No one makes camera stabilizers like DJI. The Titan Stabilization Algorithm captures smoother footage than ever. Need more? SuperSmooth mode compensates for micromovements and increases torque, stabilizing even 100mm zoom lenses.

## ***Endless Possibilities***

While DJI RS 2 is optimized for capturing unique shots with a single hand, it is also designed to be a professional filmmaking solution. No matter how complex your shot, DJI RS 2 adapts to achieve your vision.

Both RSA ports are NATO-compatible, opening DJI RS 2 to a universe of third-party accessories along with versatile handling and mounting possibilities.

## ***Cinematic Sharpness***

A built-in front dial above the trigger allows for single handed focus control. It also complements a mounted Focus Wheel for two-channel focus and zoom control, right from the handle.

The 3D Focus System uses ToF sensors to measure the distance between lens and subject for a sharp picture, even in low lighting. This advanced system enables fast autofocus on manual, large-aperture lenses.

## ***The Best Battery Yet***

The BG30 grip has a max runtime of 12 hours and can charge independently from DJI RS 2. Fast charging enables two hours of runtime with just a 15min charge.

DJI RS 2 employs a cartridge design for more secure battery mounting and faster battery swaps.

## ***In the Box - DJI RS 2***

- Gimbal x 1
- BG30 Grip x 1
- USB-C Charging Cable (40 cm) x 1
- Lens-Fastening Strap x 1
- Extended Grip/Tripod (Metal) x 1
- Quick-Release Plate (Arca-Swiss/Manfrotto) x 1
- Briefcase Handle x 1
- Camera Riser x 1
- Carrying Case x 1
- Multi-Camera Control Cable (USB-C, 30 cm) x 1
- Multi-Camera Control Cable (Sony Multi, 30 cm) x 1
- Multi-Camera Control Cable (Micro-USB, 30 cm) x 1
- Multi-Camera Control Cable (Mini-USB, 30 cm) x 1
- Hook-and-Loop Strap x 3
- D-Ring Camera Mounting Screw 1/4"-20 x 2
- RSA/NATO Port Cover x 1
- Pan Axis Sleeve x 1
- Screw 1/4"-20 x 1



Specifikationer:

Tillverkare	DJI
Kategori	Gimbal support